

IFVBESA

Information is crucial

P51 2.2 BESA-Detailproject P4

Hi Energy Wand 2

IPC Europe UG

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Project-report P4 to BESA expert opinion

bioenergetic system analysis
within the framework of the BESA seal of quality
about the effectiveness of
Hi Energy Wand 2 BodyFit
Made in Germany
of the company IPC-Europe UG, D - 77866 Rheinau
reffered to as test object“ in the test

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Client
Company IPC-Europe UG
Mr. Norbert Heuser
Schwarzwaldstraße 48
D - 77866 Rheinau

Projekct participants:

Project leader:	Wolfgang Albrecht, president and scientific director of the international professional association of BESA
Testende Person:	Eva Krankl, vizepresidentin an deputy scientific director of the international professional association of BESA
Proband:	1 anonymous proband - Elisabeth
other participants:	none

Project location: Location of the international professional association of BESA
Mainstreet 1, A 4861 Kammer/Schörfling am Attersee - Austria

Date: 05.02.2020 until 26.05.2020

Project duration: 111 Days

Internationaler Fachverband für BESA ❙ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ❙ Österreich - Austria
Tel.: +43 – 664 – 73152899 ❙ E-Mail: info@ifvbesa.at

Inhalt

BESA legend 5
Basics of the research project creation P51 2.2 P4 6
Research funding services of the IFVBESA BESA reference tests 7
Research Project Description: 9
Test procedure 10
Project procedure 11
General information about the test result 31
Background on the stress of the subject 32
Authorized Summary 34

important notes

The client owns the right to exploit this project report. Irrespective of this, this report represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this project report for other purposes, if this does not violate the privacy or confidentiality of the client.
On the other hand, with the exception of the "authorized abridged version", the project report may not be modified or passed on in abridged form without the consent of IFVBESA.
The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or IFVBESA.
The maintenance of the quality of the tested products as well as their regular control is the task and responsibility of the client.
Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties is not the responsibility or task of the Contractor. Video recordings may be made only with the permission of IFVBESA.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA legend

for the interpretation of BESA measurement results

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its lower and higher levels. Also readings in the range of 50 to max. 70 still count as a neutral and balanced energetic status. The organism is able to regulate irritations of the system (wrong environmental signals) very well..

Readings above 70 to 100 represent the inflammatory range or a so-called energy surplus in response to the irritation of the system by environmental signals corresponding to it. After reaching the maximum values, the energy state tilts into the degenerative (blue) rangeBereich

Readings from below 50 to near 0 represent the so-called degenerative measurement range or a lack of energy in response to the stimulation of the system by environmental signals corresponding to it.

Measured values represented by a so-called pointer drop of more than 3 scale lines indicate a total deregulation. The influence of certain environmental signals then leads to such strong system overloads, which can only be harmonized by corresponding new signals.

BESA Key figures:

up to 0,79	verry deep energetic regulation disorder (SSD) energy deficeincy
0,8 to 1,19	strong energetic regulation disorder (SD) degeneration/energy deficiency
1,2 bis 1,59	energetic regulation disorder (D) degeneration/energy deficiency
1,6 bis 1,99	degenerative transition area (DÜ)

2,0 to 2,39	optimal regulation (OR)
2,4 to 2,79	in regulation (R)

2,8 to 3,19	partial ignition = regional energy surplus (PE)
from 3,2	from 3.2 total inflammation = strong general energy surplus (TE)

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Basics of the research project creation P51 2.2 P4

The international professional association for bioenergetic system analysis was commissioned by the aforementioned company to test the effect of a test object by means of bioenergetic system analysis (BESA) or to prove its effect. The testing is basically carried out independently of the subjective sensation of the respective test persons.
The product tested is the Hi Energy Wand 2 Body Fit from the company IPC Europe UG - referred to as the test object in the following.
This is a small lamp (dimensions see below), according to the statements of the producer: "small, but fine, with great effect".
According to the producer, the application is very simple. Entirely according to the needs and feeling of the user (in). It is usually recommended to use the lamp 15 minutes a day, after a treatment of about 14 days 1 - 2 times a week.

Application according to the manufacturer's statements:

The test object is flicked on and the light cone is placed directly in the center of a palm without pressure on the skin.
Through the light, meridian energy information reaches the palm of the hand, from there through the skin into all meridians, energy pathways, energy centers, body cells and organs. According to the developer, application to specific acupuncture points is unnecessary with this method. However, if there is a need for it, it can be done there.
By expert opinion it is assumed that by optimizing the meridians (energy channels) the regulatory mechanism is promoted and thus the body condition is optimized.
This should lead, according to previous findings of the developer, to a stabilization and purification of the biological systems and ultimately to an improvement of the general physical and mental condition.
Statements about possible health improvements, e.g. with regard to allergies, skin diseases, rheumatism, etc., may not be made by the developer and producer according to current law. This results in reserved statements regarding the effects of the Meridian-Energy-Light and its manifold applications.

The program contains the following information:

- Optimization Meridian Energy
- Optimization organ energy
- Neutralization of energetic disturbances on meridians / energy pathways
- Neutralization of terrestrial disturbances in the biological object
- Neutralization of exogenous heavy metals
- Neutralization of exogenous chemical substances

The program refers only to the information levels of aforementioned objects. Empirically, the developer assumes that the information also acts in the energetic object, namely:

- physical
- chemical
- substantial
- informational

Test results fully confirm these assumptions! This one-point light meridian acupuncture is not intended to tangent traditional acupuncture in any way.

Product description:

- programmed LED lamp: length 83 mm, width 15 mm
- Measure of brightness 100 lumens
- Battery AAA about 50 hours operating time = about 300 treatments a 10 min.

In the basis, this technology is to improve the natural properties of protons and electrons in an atom and thus bring any matter including the human body, in animals and plants - from chaos in the atom to harmony.

Research funding services of the IFVBESA BESA reference tests

The test object is tested according to the requirements of the client within the framework of the applicable conditions of the IFVBESA for corresponding projects for the award of quality seals. Depending on the results of the test, quality seals are awarded in 3 categories.
The client of the test object assumes that this is able to nullify certain information and toxic substances, in the current test case or detailed project 4 the information of Candida albicans as well as certain imprints or beliefs on their information levels and thus to neutralize or harmonize the negative effects on the energy field of the test person.

<u>Explanation about the energetic deregulation of the subject from the point of view of IFVBESA:</u>

If one follows the guideline medical presentation, Candida albicans is a fungus of the Candida group, which is assigned to the yeasts. It is the most common causative agent of candidiasis. In humans, this fungus is frequently found on the mucous membranes of the mouth and throat and in the genital area, as well as in the digestive tract.
Physical symptoms of the test person were alternating diarrhea or constipation, as well as

flatulence and abdominal pain. In addition, migraine headaches, skin changes, as well as anxiety states occurred again and again. Blisters on the palate and tongue, as well as discomfort during swallowing, caused unpleasant pain. In addition to the intestinal complaints, the proband also complained of mucosal stress in the vagina, which was associated with itching and pain.

From a subtle point of view, the processing, the digestion of subtle impressions, takes place in the intestine. To appropriate "foreign" or "to make one's own" - here - it happens. Especially in the intestine is the place of transformation. The parallel organ of the integration of spiritual is the brain. Not only material things have to be digested, but also many a realization. It is not only a matter of having to digest, but also of wanting to.
This is how information and life themes are processed and integrated into life. Often too one-sided, the topics can manifest themselves physically, as in the case of the current test person. Disturbances in this integration process, no matter what the cause, often first make themselves felt in the intestines: So according to the motto: "have shit", is only one example of how such an integration process can be disturbed. The intestine as an autonomous system of order functions as a mental impulse system and reacts sensitively and since without the filter of intellectual possibilities, in the original sense of course to existential disturbances immediately.
For this reason, the awareness of the disturbance in the order system, as well as the perception of the wrong thinking patterns were in the foreground, in which the test object should act supportively. In the course of the project several BESA testings were carried out to check the current development.
The individual substances (beliefs or imprints) were presented via so-called nosodes (homeopathically prepared substances in a glass tube).

The following representative questions or their associated substances were identified using BESA:

NOSODE 1: Borax veneta: Feeling exploited and discarded
NOSODE 2: Mercurius solubilis: One's own life force does not find a form and is sacrificed to the life force
NOSODE 3: Sulfuricum acidum: Hecticness in order not to let suppressed conflicts become apparent
NOSODE 4: Alumina: The own point of view is missing, the own position is not claimed
NOSODE 5: Collinsonia canadensis: Feels that one cannot escape from an unloved, familiar situation
NOSODE 6: Nux vomica: Hiding one's real feelings through overactivity
NOSODE 7: Opium papaver somniferum: Border between consciousness and unconsciousness

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Research Project Description:

The BESA detailed project was conducted at the IFVBESA premises.
Tested the effect of the test object by placing the light on the center of the left palm for 15 minutes and irradiating it.
Questions: Is the test object suitable to nullify the beliefs and imprints listed below, which can ultimately be seen as the cause of the health burden of the test person, on their information levels and thus neutralize, or harmonize the negative effects on the energy field of the test person.

Pos.1
1x BESA Basic-Testing (bioenergetic status) on the test person (08.02.2020)
Pos.2
1x BESA post-testing 1 on the test person (12.02.2020)
Pos.3
1x BESA retesting 2 on the test person (28.02.2020)
Pos.4
1x BESA retesting 3 on the test person - after Corona (06.04.2020)
Pos.5
1x BESA retesting 4 on the test person (26.05.2020)
Pos.6
1x BESA post-testing as well as measurements of the nosodes with the beliefs or imprints towards the proband
Pos.7
Evaluation of the results in a corresponding expert opinion according to the sample

The following test procedure and specification shall prove this assertion:

1. **basic measurement on the test person** according to **pos. 1** at all previously determined measurement points (TING points), as well as testing out the respective belief patterns. This corresponds to the actual state, so to speak. The results are determined exactly according to the BESA specifications and documented via the well-known BESA graphs.
2. **BESA retesting on the test person according** to **pos. 2-5** at all previously determined measuring points. The post-tests are performed on the specified dates. Only at times of Corona would BESA testing be suspended. The results are determined exactly according to the BESA specifications and documented via the known BESA graphs. One BESA status measurement is performed at a time, the nosodes with the beliefs are not tested.
3. **Activation of the test object**

3.1 The test object is activated at least 3 times a day by the subject according to the instructions of the client (see application according to the statements of the manufacturer on page 6).

4. **BESA-retesting on the test subject** according to **pos. 6** at all previously determined measuring points. The results are determined exactly according to the BESA specifications and documented via the known BESA graphs. A BESA status measurement is performed, the nosodes with the beliefs are not tested.

4.1 BESA- measurement of the nosodes towards the subject according to **pos. 6** at all previously determined measuring points. The results are determined exactly according to the BESA specifications and documented via the known BESA graphs.

Test procedure

BESA 1 – BASIC Testing as status:

In the first step a basic bioenergetic testing (bioenergetic status) is performed on the test person.

The BESA tests are performed under the already mentioned laboratory conditions and on natural wooden floor.
The test person is deswitcht before the BESA BASIS-STATUS test (made by dementsprechenden process testable) and/or the test possibilities with the test person bee questioned.

BESA 2 – BASIC Testing as status:

The aim of this BESA measurement is, as with BESA 1, a further bioenergetic status determination or verification of the regulation dynamics on the test person.

BESA 3 – BASIC Testing as status:

The aim of this BESA measurement is, as with BESA 1+2, a further bioenergetic status determination or verification of the regulation dynamics on the test person.

BESA 4 – BASIC Testing as status:

The aim of this BESA measurement is, as with BESA 1-3, a further bioenergetic status determination or verification of the regulation dynamics on the test person.

BESA 5 – BASIC Testing as status:

The aim of this BESA measurement is, as with BESA 1-4, a further bioenergetic status determination or check of the regulation dynamics on the test person.

BESA 6 – Post- testing of the nosodes on the proband according to pos. 6
Based on the positive BESA test results of BESA 5, the individual nosodes 1-7 with the beliefs are scrutinized for their effect on the test person in the further course of BESA testing in addition to BESA basic testing 5.

Internationaler Fachverband für BESA ❙ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ❙ Österreich - Austria
Tel.: +43 – 664 – 73152899 ❙ E-Mail: info@ifvbesa.at

Project procedure

Questions summarized:

Which effect does the test object show under the above mentioned circumstances on the human meridian system from the BESA point of view.
From BESA's point of view, to what extent can this test object harmonize the possibly detectable toxic stress factors of the test person?

Internationaler Fachverband für BESA ❙ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ❙ Österreich - Austria
Tel.: +43 – 664 – 73152899 ❙ E-Mail: info@ifvbesa.at

BESA 1 Testing BASIC - BEFORE

BESA 1: BASIC Testing as status

Eva Krankl performs a basic BESA test on the test person.
All BESA testing is done at the TING points (40 nail fold points on the fingers and toes).

Goal:
To create a basic test (status) as a representation of the initial energetic situation.

BESA Test evaluation P51 P4 from **08-02-2020 at 18:19 to 18:33** (13 minutes) page 13 and 14

Result:
100 % in the blue area

Conclution:
As the graphs and pie chart show, all measurement results were in the blue, degenerative range (energy deficient).

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Overview of BESA measuring



Red: values with indicator decline
Decline greater than 2 ()

Yellow: high values without indicator decline
Values over 70 ()

Blue: low values
Values lower 50 (100%)

Green: standard values
Values between 50 and 70 ()

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

	Right	Left
Lung		
Lu 1 (11.) Parenchym	36/1	12/0
Skin		
Sk 1 (1.) Lower Body	10/0	11/0
Large intestine		
Li 1 (1.) Colon transv./sigm.	18/0	20/0
Connective tissue		
Ct 1 (1.) Abdomen	8/0	13/0

Element: st - nd - ps - od

	Right	Left
Stomach		
St 1 (45.) Pylorus/body	21/0	10/0
Nerves deg.		
Nd 1 (1.) lumb./sakral.	18/1	22/0
Pancreas-spleen		
Ps 1 (1.) Eiw./w.Pulpa	12/0	29/0
Organ deg.		
Od 1 (1.) Abdominal region	9/0	12/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: bl - ly - ki - al

	Right	Left
Bladder		
BL 1 (67.) body	26/0	38/0
Lymph		
Ly 1 (1.) Tons.Palat.	38/0	24/2
Kidney		
Ki 1 (11.) pelvis	31/1	17/1
Allergy		
Al 1 (1.) Lower body	10/0	10/0

Element: ga - jd - li - gd

	Right	Left
Gall		
Ga 1 (44.) Duct.choled./hep.	19/1	11/2
Joint deg.		
Jd 1 (1.) lower extremities	17/1	39/1
Liver		
Li 1 (1.) Central veins	29/0	39/2
Greasy deg.		
Gd 1 (1.) Abdomen	23/1	19/0

Element: he - si

	Right	Left
Heart		
He 1 (9.) Pulm.sm./Aortic valves	11/1	7/0
Small intestine		
Si 1 (1.) Ileum	11/0	9/0

Element: bc - 3e

	Right	Left
Blood circulation		
Bc 1 (9.) SMP Arteries	15/0	16/0
Endocrine		
3e 1 (1.) Gonads/NNI	13/1	13/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 2 Testing - AFTER 1

BESA 2: BASIC Testing 2 as status:

Since BESA 1 testing, the subject has been using the test item. In the further course of BESA testing, another basic test is performed on the subject.
As always, all BESA testing is performed at the TING points (40 nail fold points on the fingers and toes).

Goal:
The aim of this BESA measurement is, as with BESA 1, to carry out a further bioenergetic status determination or check of the regulatory dynamics on the test person.
How does the meridian system of the test person react to the daily application of the test object? What are the differences compared to the BESA 1 basic test?

BESA Test evaluation P51 P4 from **12-02-2020 at 09:09 to 09:28** (19 minutes) page 16 and 17

Results:
The measurement result showed a significant improvement of the energetic loads at the meridian endpoints compared to the BESA 1 testing.

90 % in the blue area
10 % in the green area

Conclution:
As the following graphs show, all measurement points have already improved compared to BESA 1. Some measurement points are already in the green range (optimal measurement values).
The BESA ratio also confirms the positive changes.
The subsequent comparisons of the BESA graphs of BESA 1+2 (see comparison pie chart) confirm the improvements compared to BESA 1.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at



BESA Test 2



BESA Test 1

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

0 10 20 30 40 50 60 70 80 90 100		Right	Left
	Lung		
	Lu 1 (11.) Parenchym	39/1	25/2
	Skin		
	Sk 1 (1.) Lower Body	44/0	15/0
	Large intestine		
	Li 1 (1.) Colon transv./sigm.	43/0	41/1
	Connective tissue		
	Ct 1 (1.) Abdomen	40/1	39/1

Element: st - nd - ps - od

0 10 20 30 40 50 60 70 80 90 100		Right	Left
	Stomach		
	St 1 (45.) Pylorus/body	54/1	32/1
	Nerves deg.		
	Nd 1 (1.) lumb./sakral.	44/0	25/1
	Pancreas-spleen		
	Ps 1 (1.) Eiw./w.Pulpa	41/0	53/0
	Organ deg.		
	Od 1 (1.) Abdominal region	22/0	31/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: bl - ly - ki - al



Bladder — BL 1 (67.) body — Right 52/0 — Left 52/0

Lymph — Ly 1 (1.) Tons.Palat. — Right 37/1 — Left 39/1

Kidney — Ki 1 (11.) pelvis — Right 37/0 — Left 41/0

Allergy — Al 1 (1.) Lower body — Right 41/2 — Left 12/0

Element: ga - jd - li - gd

Gall — Ga 1 (44.) Duct.choled./hep. — Right 38/0 — Left 17/0

Joint deg. — Jd 1 (1.) lower extremities — Right 40/0 — Left 44/0

Liver — Li 1 (1.) Central veins — Right 34/0 — Left 33/0

Greasy deg. — Gd 1 (1.) Abdomen — Right 44/1 — Left 27/0

Element: he - si

Heart — He 1 (9.) Pulm.sm./Aortic valves — Right 40/1 — Left 42/0

Small intestine — Si 1 (1.) Ileum — Right 34/1 — Left 32/0

Element: bc - 3e

Blood circulation — Bc 1 (9.) SMP Arteries — Right 41/0 — Left 42/2

Endocrine — 3e 1 (1.) Gonads/NNI — Right 41/1 — Left 17/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 3 Testing - AFTER 2

BESA 3: BASIC Testing 3 as status:

Since BESA 1 testing, the subject has been using the test item. In the further course of BESA testing, another basic test is performed on the subject.
As always, all BESA testing is performed at the TING points (40 nail fold points on the fingers and toes).

Goal:
The aim of this BESA measurement is, as with BESA 1+2, to carry out a further bioenergetic status determination or check of the regulatory dynamics on the test person.
How does the meridian system of the test person react to the daily application of the test object? What are the differences compared to the BESA 1 basic test?

BESA Test evaluation P51 P4 from **28-02-2020 at 10:12 to 10:18** (6 minutes) page 19 and 20

Results:
The measurement result showed another significant improvement of the energetic loads at the meridian endpoints compared to the BESA 1 testing.

62 % in the blue area
35 % in the green area
2 % in the red area
1 % in the yellow transition area

Conclution:
As the following graphs show, almost all measurement points have improved again compared to BESA 1+2. In the meantime, further measured values are in the green range (optimal measured values).
This is again confirmed by the strongly improved BESA ratio.
The subsequent comparisons of the BESA graphs of BESA 1-3 (see comparison pie chart) confirm the improvements compared to BESA 1.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at



BESA Test 3



BESA Test 1

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

0 10 20 30 40 50 60 70 80 90 100		Right	Left
Lung		Right	Left
	Lu 1 (11.) Parenchym	44/0	51/0
Skin		Right	Left
	Sk 1 (1.) Lower Body	45/1	38/1
Large intestine		Right	Left
	Li 1 (1.) Colon transv./sigm.	52/1	52/1
Connective tissue		Right	Left
	Ct 1 (1.) Abdomen	53/0	41/1

Element: st - nd - ps - od

0 10 20 30 40 50 60 70 80 90 100		Right	Left
Stomach		Right	Left
	St 1 (45.) Pylorus/body	47/0	18/2
Nerves deg.		Right	Left
	Nd 1 (1.) lumb./sakral.	52/2	49/1
Pancreas-spleen		Right	Left
	Ps 1 (1.) Eiw./w.Pulpa	49/1	58/1
Organ deg.		Right	Left
	Od 1 (1.) Abdominal region	49/2	49/1

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: bl - ly - ki - al

	Right	Left
Bladder		
BL 1 (67.) body	46/0	59/0
Lymph		
Ly 1 (1.) Tons.Palat.	54/0	50/0
Kidney		
Ki 1 (11.) pelvis	41/0	42/1
Allergy		
Al 1 (1.) Lower body	50/0	50/0

Element: ga - jd - li - gd

	Right	Left
Gall		
Ga 1 (44.) Duct.choled./hep.	32/0	38/0
Joint deg.		
Jd 1 (1.) lower extremities	49/0	35/0
Liver		
Li 1 (1.) Central veins	54/1	40/0
Greasy deg.		
Gd 1 (1.) Abdomen	30/1	44/1

Element: he - si

	Right	Left
Heart		
He 1 (9.) Pulm.sm./Aortic valves	48/1	54/3 +
Small intestine		
Si 1 (1.) Ileum	41/0	52/0

Element: bc - 3e

	Right	Left
Blood circulation		
Bc 1 (9.) SMP Arteries	49/2	57/1
Endocrine		
3e 1 (1.) Gonads/NNI	45/0	49/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 4 Testing AFTER 3

BESA 4: BASIC Testing 4 as status:

Since the BESA1 test, the subject has been using the test object. In the further course of BESA testing, another basic test is performed on the subject.
As always, all BESA testing is performed at the TING points (40 nail fold points on the fingers and toes).

Goal:
The aim of this BESA measurement is, as with BESA 1-3, to carry out a further bioenergetic status determination or check of the regulatory dynamics on the test person.
How does the meridian system of the test person react to the daily application of the test object? What are the differences compared to the BESA 1 basic test?

BESA Test evaluation P51 P4 from **06-04-2020 at 16:15 to 16:34** (19 minutes) page 22 and 23

Results:
The measurement result showed severe deteriorations compared to the BESA 3 evaluation. The reason for this was due to the current Corona situation, as relatives of the test person were also suffering from Corona and certain anxiety patterns were evoked in the test person.

82 % in the blue area
10 % in the green area
7 % in the red area
1 % in the yellow transition area

Conclution:
As the following graphs show, again almost all measurement points have deteriorated compared to BESA 1+2.
This is again confirmed by the BESA index.
The following comparisons of the BESA graphs of BESA 3+4 (see comparison pie chart) confirm the deterioration compared to BESA 3.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at



BESA Test 4



BESA Test 3

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

		Right	Left
Lung		Right	Left
	Lu 1 (11.) Parenchym	24/0	24/1
Skin		Right	Left
	Sk 1 (1.) Lower Body	13/0	46/0
Large intestine		Right	Left
	Li 1 (1.) Colon transv./sigm.	19/0	54/4 +
Connective tissue		Right	Left
	Ct 1 (1.) Abdomen	40/0	70/4 +

Element: st - nd - ps - od

		Right	Left
Stomach		Right	Left
	St 1 (45.) Pylorus/body	16/0	41/0
Nerves deg.		Right	Left
	Nd 1 (1.) lumb./sakral.	41/2	36/1
Pancreas-spleen		Right	Left
	Ps 1 (1.) Eiw./w.Pulpa	42/0	43/0
Organ deg.		Right	Left
	Od 1 (1.) Abdominal region	51/0	35/1

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: bl - ly - ki - al



Bladder — BL 1 (67.) body — Right 54/2 — Left 32/0



Lymph — Ly 1 (1.) Tons.Palat. — Right 13/0 — Left 40/2



Kidney — Ki 1 (11.) pelvis — Right 28/0 — Left 34/0



Allergy — Al 1 (1.) Lower body — Right 24/0 — Left 25/0

Element: ga - jd - li - gd



Gall — Ga 1 (44.) Duct.choled./hep. — Right 18/0 — Left 39/0



Joint deg. — Jd 1 (1.) lower extremities — Right 48/1 — Left 58/0



Liver — Li 1 (1.) Central veins — Right 21/0 — Left 51/1



Greasy deg. — Gd 1 (1.) Abdomen — Right 25/0 — Left 49/3 +

Element: he - si



Heart — He 1 (9.) Pulm.sm./Aortic valves — Right 47/1 — Left 32/0



Small intestine — Si 1 (1.) Ileum — Right 41/0 — Left 11/0

Element: bc - 3e



Blood circulation — Bc 1 (9.) SMP Arteries — Right 22/1 — Left 47/1



Endocrine — 3e 1 (1.) Gonads/NNI — Right 39/0 — Left 45/1

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 5 Testing - AFTER 4

BESA 5: BASIC Testing 5 as status:

Since BESA 1 testing, the subject has been using the test item. In the further course of BESA testing, another basic test is performed on the subject.
As always, all BESA testing is performed at the TING points (40 nail fold points on the fingers and toes).

Goal:
The aim of this BESA measurement is, as with BESA 1-4, to make a further bioenergetic status determination or check of the regulation dynamics on the test person.
In the meantime, the stress due to Corona has also calmed down. How does the meridian system of the test person react to the daily application of the test object? What are the differences compared to the BESA 1 basic test?

BESA Test evaluation P51 P4 from **26-05-2020 at 13:04 to 13:12** (8 minutes) page 25 and 26

Result:
The measurement result showed a significant improvement of the energetic situation at the meridian endpoints of the subject compared to BESA 4 testing.

100 % in the green area

Conclution:
As the following graphs show, including all measurement points have significantly improved compared to BESA 4 as well as BESA 1-3. In the meantime, all measured values are in the green range (optimal measured values).
This once again confirms the excellent BESA performance.
The following comparisons of the BESA graphs of BESA 1-5 (see comparison pie chart) show the changes during the project duration.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at



BESA Test 5



BESA Test 4

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

0 10 20 30 40 50 60 70 80 90 100		Right	Left
Lung			
	Lu 1 (11.) Parenchym	53/1	54/1
Skin			
	Sk 1 (1.) Lower Body	54/1	59/0
Large intestine			
	Li 1 (1.) Colon transv./sigm.	54/0	56/1
Connective tissue			
	Ct 1 (1.) Abdomen	56/1	51/0

Element: st - nd - ps - od

0 10 20 30 40 50 60 70 80 90 100		Right	Left
Stomach			
	St 1 (45.) Pylorus/body	52/0	52/0
Nerves deg.			
	Nd 1 (1.) lumb./sakral.	56/2	57/0
Pancreas-spleen			
	Ps 1 (1.) Eiw./w.Pulpa	54/1	51/0
Organ deg.			
	Od 1 (1.) Abdominal region	51/0	53/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: bl - ly - ki - al

	Right	Left
Bladder		
BL 1 (67.) body	56/1	52/0
Lymph		
Ly 1 (1.) Tons.Palat.	57/0	54/2
Kidney		
Ki 1 (11.) pelvis	52/1	52/0
Allergy		
Al 1 (1.) Lower body	52/1	52/0

Element: ga - jd - li - gd

	Right	Left
Gall		
Ga 1 (44.) Duct.choled./hep.	52/0	55/1
Joint deg.		
Jd 1 (1.) lower extremities	54/2	57/0
Liver		
Li 1 (1.) Central veins	52/0	58/0
Greasy deg.		
Gd 1 (1.) Abdomen	51/1	57/0

Element: he - si

	Right	Left
Heart		
He 1 (9.) Pulm.sm./Aortic valves	59/0	56/0
Small intestine		
Si 1 (1.) Ileum	52/1	53/1

Element: bc - 3e

	Right	Left
Blood circulation		
Bc 1 (9.) SMP Arteries	50/1	52/2
Endocrine		
3e 1 (1.) Gonads/NNI	56/1	54/1

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 6 Testing - AFTER 5

BESA 6: Testing of the incriminating nosodes 1-7:

Since BESA 1 testing, the subject has been applying the test object. Based on the positive measurement result from BESA 5, the nosodes with beliefs 1-7 are now tested on the subject in the further BESA testing process.
As always, all BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).
The following representative questions or the corresponding substances (nosodes) are determined by BESA:
NOSODE 1: Borax veneta - Feeling used and discarded
NOSODE 2: Mercurius solubilis - One's own life force finds no form and is sacrificed to the life force
NOSODE 3: Sulfuricum acidum - Hecticness in order not to let suppressed conflicts become apparent
NOSODE 4: Alumina - One's own position is missing, one's own position is not demanded
NOSODE 5: Collinsonia canadensis - Feels that one cannot escape from an unloved, familiar situation
NOSODE 6: Nux vomica - Hiding one's real feelings through overactivity
NOSODE 7: Opium papaver somniferum - Border between consciousness and unconsciousness

Goal:
The aim of this BESA measurement is to question to what extent the homeopathic substances or beliefs (imprints) from Nosodes 1-7 could be nullified?
ATTENTION:
The exact question is: do the above mentioned beliefs resonate with the energetic system of the subject? Yes or no? Whereby a "yes" would show up in the green area and a "no" in the blue or yellow (degenerative = lack of energy).
How does the meridian system of the test person react to the nosodes (questions)? What conclusions can now be drawn from this testing in relation to the beliefs?

BESA Test evaluation P51 P4 from **26-05-2020 at 13:13 to 13:20** (7 minutes) page 29 and 30

Result:

The measurement result clearly indicated that none of the beliefs tested from nosodes 1-7 resonated with the subject anymore. A single measured value was just at the border or in the transition area.

97 % in the blue area
2 % in the green area
1 % in the yellow transition area

Fazit:

As the subsequent graphs show, almost all of the readings are in the degenerative (energy deficient) range.
Thus, the questions regarding the beliefs - nosodes - brought into the measuring circle were answered with NO.
This is confirmed by all measurement results in the blue and yellow measurement range (degenerative = lack of energy or answer NO).
Only one measurement result was just in the green-blue transition range. Based on the measurement result, it can be assumed that the beliefs could be nullified by the application of the test object.
A similar picture can be seen with regard to the physical symptoms. These could be neutralized within the observation period from the detailed project 4.

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Overview of BESA measuring



Red: values with indicator decline
Decline greater than 2 ()

Yellow: high values without indicator decline
Values over 70 ()

Blue: low values
Values lower 50 (97%)

Green: standard values
Values between 50 and 70 (2%)

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct



	Right	Left
Lung		
Lu 1 (11.) Parenchym	34/0	25/0
Skin		
Sk 1 (1.) Lower Body	27/0	24/0
Large intestine		
Li 1 (1.) Colon transv./sigm.	43/1	24/1
Connective tissue		
Ct 1 (1.) Abdomen	37/0	32/1

Element: st - nd - ps - od



	Right	Left
Stomach		
St 1 (45.) Pylorus/body	35/0	35/0
Nerves deg.		
Nd 1 (1.) lumb./sakral.	30/1	37/0
Pancreas-spleen		
Ps 1 (1.) Eiw./w.Pulpa	50/0	46/2
Organ deg.		
Od 1 (1.) Abdominal region	34/2	24/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA basic test

+++: Indicator decline > 15 Skt.
++: Indicator decline 6-15 Skt.
+: Indicator decline 3-5 Skt.
T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Standard values: (50-70 Skt.)

Element: bl - ly - ki - al



	Right	Left
Bladder		
BL 1 (67.) body	43/0	46/1
Lymph		
Ly 1 (1.) Tons.Palat.	27/1	29/1
Kidney		
Ki 1 (11.) pelvis	35/0	31/2
Allergy		
Al 1 (1.) Lower body	28/0	22/0

Element: ga - jd - li - gd



	Right	Left
Gall		
Ga 1 (44.) Duct.choled./hep.	27/0	26/1
Joint deg.		
Jd 1 (1.) lower extremities	35/1	45/0
Liver		
Li 1 (1.) Central veins	30/0	36/0
Greasy deg.		
Gd 1 (1.) Abdomen	33/1	27/2

Element: he - si



	Right	Left
Heart		
He 1 (9.) Pulm.sm./Aortic valves	39/0	48/1
Small intestine		
Si 1 (1.) Ileum	40/1	49/1

Element: bc - 3e



	Right	Left
Blood circulation		
Bc 1 (9.) SMP Arteries	15/0	36/1
Endocrine		
3e 1 (1.) Gonads/NNI	39/0	26/0

Internationaler Fachverband für BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Overview the BESA Tests



BESA Test 1



BESA Test 2



BESA Test 3



BESA Test 4



BESA Test 5



BESA Test 6

General information about the test result

The human being represents a kind of receiving antenna for all environmental information. This can be information favorable to survival or information hostile to survival, such as from toxic substances, as well as from electromagnetic (interference) fields or other negative environmental vibration patterns (such as family, personal environment, etc.).
Our organism is biologically very sensitive where natural fields are located or where these fields are subject to interactions and fluctuations. **For this reason, detected interference fields, wherever they come from, are biologically highly relevant.**
Any reduction or transformation of these disturbances (ideally to 100%) is biologically very important, often even vital. These environmental disturbances are only compatible with life if the disturbance fields can be readjusted to a natural tolerance of fluctuation.
These and similar information and disturbance fields pose a serious risk to human life.
Such effects and impacts could be clearly demonstrated in this detailed project 4 with and without test object. The test object tested in this project could clearly neutralize the biologically adverse effects and impacts. With regular use of the test object, the change is all the more lasting.

The significant ability of the test object to neutralize and harmonize the stress factors tested in this detailed project P51 2.2 P4, as well as their transformation into biological life-enhancing goodness is proven with this project.

Background on the stress of the subject

Woman around 40 (Italian) falls in love with a man (Austrian). She sells her two businesses and moves to Austria to live with her new partner.
There she helps him in his business, which, however, does not correspond to her vocation.
In Italy she ran a handsome business in the coffee trade. There, people understood her better (linguistically) and everyone respected her as a personality and entrepreneur. When asked if she felt homesick and longed for her business, she said, "At first yes, but now it works. I love my life partner and am happy and grateful to have met him".
1 year later, she kept complaining of pain in the stomach area. Sometimes she suffered from diarrhea or constipation. Half a year later, she consulted a doctor. The diagnosis, everything is fine. She went to see other specialists, each diagnosed the same, everything is ok. They even recommended her to see a psychiatrist.
During another 6 months, the pain increased and spread to about the palate and throat, even some teeth.
In the past, the charismatic woman was always in the center of attention and was highly appreciated by all people and business partners.
Today she is doing a job with which she does not identify, which does not correspond to her abilities and potentials. Suddenly she lacks address, everything revolves around her life partner, nobody asks about her anymore.
This leads to an indigestible conflict of anger. On the one hand she loves her partner, on the other hand she lacks the address and the recognition.
Clarifying conversations with her life partner and friends lead to a partial solution of the conflict.
Phone calls with her home or former business partners reactivate the conflict = resurgence of the conflict = track.
This leads to a continuous change of the intestinal environment (increase of function) and development of fungus and bacteria. Even growth of a tumor is possible.

<u>What is the conflict potential:</u>
Lump conflict: according to Björn Eybl: not being able to digest something. Often with the aspect of starvation. From a thing or a project the hoped for benefit / profit can not be drawn. It comes to a reinforcement, functional increase (in) the intestinal mucosa
"one looks through the fingers"

"one goes empty-handed"
"one feels existentially disadvantaged"

Remark on the subject of mushrooms
Certain fungi belong to the flora of a healthy person. In the intestine they are found in increased numbers during healing phases. If they are detected in a stool sample, one speaks of a fungal infection, but it is actually the healing phase. With increased sugar consumption, the fungal population is increased even without conflict (detectable via blood count / white blood cells increased).
Flat growing tumors are often not recognized as such in conventional medicine, because they are widely spread.

Symptoms / Therapy / Cure:
Necrotizing, tuberculous caseous breakdown of the excess intestinal mucosa or tumor. By fungi and bacteria.
This can lead to the following symptoms:
Pain in the stomach / intestinal area, diarrhea, bloody diarrhea, ev. vomiting diarrhea, fever, night sweats, increased pain during menstruation.

Healing crisis:
Chills, intestinal cramps (spasms), colic because of the involvement of the intestinal muscles, feelings of weakness, feeling of constriction in the chest, breathing problems.

The fungus is actually the healing phase. This is because the fungi and bacteria cause the intestinal mucosa, which was first strengthened by growth (tumor), to break down (increase in function). If fungi and bacteria are absent or the conflict remains resolved, the mucosa rebuilds to its normal functional size..

The following representative questions were BESA tested:
Borax veneta
Feeling used and discarded
Mercurius solubilis
One's own life force does not find a form and is sacrificed to the life force
Sulfuricum acidum
Hectic to not let suppressed conflicts become clear
Alumina
One's own position is missing, one's own position is not demanded
Collinsonia canadensis
Feels unable to escape from unloved familiar situation
Nux vomica
Hiding one's real feelings through overactivity

Opium papaver somniferum
Boundary between conscious and unconscious

general:
Basically Candida albicans or other fungal diseases is a fad to be able to offer suitable medicines.
But if we take a closer look, there is much more behind it. However, guideline medicine (LLM) does not recognize the true causes. The fact is that increased and chronic fungal growth can also lead to tumors. The cauliflower-like tumors show themselves particularly gladly under the influence of fungal loads. In the LLM, however, they are not yet recognizable because they are still too far apart.

Authorized Summary

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the test object have clearly shown that it is able to neutralize bioenergetically and biologically significant stress factors in the test person, as shown by nosodes 1 - 7, or to neutralize the physical symptoms.
By means of bioenergetic system analysis, the effect of the mentioned stress factors on the human organism, on its biological systems, was questioned on the energetic level and systemically tested.
The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points on the meridian system of the test person.
The measured data, as well as their key figures, impressively underpin, on the one hand, the stresses caused by the tested nosodes on the energetic system and subordinately on the human organism and, on the other hand, how, after application of the test object within the project duration, the deregulating measured values have been transformed into body-immanent and biocompatible energies.

That such an influence by the test object is actually possible with high precision is clearly shown by this test in BESA BEFORE and in BESA AFTER. All measured values improved significantly into the green range, with most measured values even reaching the ideal value of 50 skt.
This means: an optimal regulation dynamic has taken place.
In the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

Result

Although during the BESA AFTER testing the subject was within the effective range of additional certain stressful influences, the effect of the test object on all body, acupuncture

measuring points resulted in a significant neutralization and harmonization into the optimal green measuring range, regardless of the nature of the stresses.
Even the application of the stressing influences nosodes 1 - 7 in total on the test subject resulted in their neutralization and harmonization.
The BESA measurement data impressively substantiate, on the one hand, the stresses caused by the nosodes 1 - 7 on the test person and, on the other hand, how after regular application of the test object during the observation period of the project, these harmonized again into a body-immanent and biocompatible information.
These bioenergetic values represent a decisive basis for cell activity, oxygen uptake and, above all, detoxification.
The regulatory dynamics developed into an optimal range of action.

By proving the energetic effectiveness of the test object in this detailed project 4, the requirements for obtaining a BESA seal of approval for the project P51 2.2 P4 by the International Professional Association for BESA were fulfilled.